

**Amendments to the Drawings**

Replacement sheets for Figs. 1-4 are enclosed which formalize the drawings which were submitted with the application. No other changes have been made.

## REMARKS


Replacement sheets for Figs. 1-4 are enclosed which formalize the drawings currently on file. No new matter has been added. Approval by the Examiner is respectfully requested.

Claims 1-5 were rejected under 35 USC 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicants regard as the invention.

By this amendment, claim 1 has been corrected to particularly point out and distinctly claim the invention. the scope of this claim has not been changed by this amendment. Oxygen and ozone gas raise the pressure in the chamber with the heated substrate to less than one atmosphere. Support is found on page 13, line 28 to page 14, line 5.

Applicant believes the application is now in condition for allowance, the notice of which is respectfully requested. If there are any problems with these changes, Applicant's attorney would appreciate a telephone call.

Respectfully submitted,



Attorney for Applicant(s)  
Registration No. 22,363

Raymond L. Owens/das  
Rochester, NY 14650  
Telephone: 585-477-4653  
Facsimile: 585-477-4646

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.